

Florida Building Code Edition 2010
 High-Velocity Hurricane Zone Uniform Permit Application Form.

Section A (General Information)

Master Permit No.: _____ Process No. _____
 Contractor's Name: QUALITY Plus CONST
 Job Address: 8301 NW 32 Ave

ROOF CATEGORY

Low Slope	Mechanically Fastened Tile	Mortar/Adhesive Set Tile
<u>Asphaltic Shingles</u>	<u>Metal Panel/Shingles</u>	Wood Shingles/Shakes
Prescriptive BUR-RAS 150	Are There Gas Vent Stacks?	Type:
	Yes <input type="checkbox"/> No <input checked="" type="checkbox"/>	Natural <input type="checkbox"/> LPGX <input type="checkbox"/>

ROOF TYPE


New Roof Reroofing Recovering Repair Maintenance

ROOF SYSTEM INFORMATION

Low Slope Roof Area (SF) Steep Sloped Roof Area (SF) Total (SF)

Section B (Roof Plan)

Sketch roof plan: Illustrate all levels and sections, roof drains, scuppers, overflow scuppers and overflow drains. Include dimensions of sections and levels; clearly identify dimensions of elevated pressure zones and location of parapets.



Miami Dade County Department of Regulatory And Economic Resources

0000052964 - 4/19/2013 7:26:16 AM

GENERAL D1 04172013.pdf

Examiner	Date Time Stamp	Disp. Trade	Stamp Name
Boris Sursky	4/19/2013 7:24:34 AM	A	ROOF Approved

**SECTION 1524
HIGH-VELOCITY HURRICANE ZONES—
REQUIRED OWNERS NOTIFICATION FOR ROOFING CONSIDERATIONS**

1524.1 Scope.


As it pertains to this section, it is the responsibility of the roofing contractor to provide the owner with the required roofing permit, and to explain to the owner the content of this section. The provisions of Chapter 15 of the Florida Building Code, Building govern the minimum requirements and standards of the industry for roofing system installations. Additionally, the following items should be addressed as part of the agreement between the owner and the contractor. The owner's initial in the designated space indicates that the item has been explained.

- NM 1. **Aesthetics-workmanship:** The workmanship provisions of Chapter 15 (High-Velocity Hurricane Zone) are for the purpose of providing that the roofing system meets the wind resistance and water intrusion performance standards. Aesthetics (appearance) are not a consideration with respect to workmanship provisions. Aesthetic issues such as color or architectural appearance, that are not part of a zoning code, should be addressed as part of the agreement between the owner and the contractor.
- NM 2. **Re-nailing wood decks:** When replacing roofing, the existing wood roof deck may have to be re-nailed in accordance with the current provisions of Chapter 16 (High-Velocity Hurricane Zones) of the. (The roof deck is usually concealed prior to removing the existing roof system.)
- NM 3. **Common roofs:** Common roofs are those which have no visible delineation between neighboring units (i.e., townhouses, condominiums, etc.). In buildings with common roofs, the roofing contractor and/or owner should notify the occupants of adjacent units of roofing work to be performed.
- NM 4. **Exposed ceilings:** Exposed, open beam ceilings are where the underside of the roof decking can be viewed from below. The owner may wish to maintain the architectural appearance; therefore, roofing nail penetrations of the underside of the decking may not be acceptable. The owner provides the option of maintaining this appearance.
- NM 5. **Ponding water:** The current roof system and/or deck of the building may not drain well and may cause water to pond (accumulate) in low-lying areas of the roof. Ponding can be an indication of structural distress and may require the review of a professional structural engineer. Ponding may shorten the life expectancy and performance of the new roofing system. Ponding conditions may not be evident until the original roofing system is removed. Ponding conditions should be corrected.
- NM 6. **Overflow scuppers (wall outlets):** It is required that rainwater flow off so that the roof is not overloaded from a buildup of water. Perimeter/edge walls or other roof extensions may block this discharge if overflow scuppers (wall outlets) are not provided. It may be necessary to install overflow scuppers in accordance with the requirements of: Chapter 15 and 16 herein and the Florida Building Code, Plumbing.
- NM 7. **Ventilation:** Most roof structures should have some ability to vent natural airflow through the interior of the structural assembly (the building itself). The existing amount of attic ventilation shall not be reduced. It may be beneficial to consider additional venting which can result in extending the service life of the roof.

Miami Dade County Department of Regulatory And Economic Resources

Norma McClinton
 Owner's/Agent's Signature

4/19/13
 Date


 Contractor's Signature

4/19
 Date

0000052964 4/19/2013 7:26:16 AM
8301 NW 32 Ave
 Property Address

Process Number

Examiner	Date Time Stamp	Disp.	Trade	Stamp Name
Boris Sursky	4/19/2013 7:24:34 AM	A	ROOF	Approved

OWNER'S AFFIDAVIT OF EXEMPTION

**ROOF TO WALL CONNECTION HURRICANE MITIGATION RETROFIT FOR EXISTING SITE-BUILT SINGLE FAMILY RESIDENTIAL STRUCTURES
PURSUANT TO SECTION 553.844 F.S.**

To: Miami-Dade County Building & Neighborhood Compliance Department
11805 Coral Way, Suite 111
Miami, FL 33175

Re: Owner's Name NORMA McCLendon

Property Address 8301 NW 32 Ave

Roofing Permit Number _____

Dear Building Official:

I NORMA McCLendon certify that I am not required to retrofit the roof to wall connections of my building because:

The just valuation for the structure for purposes of ad valorem taxation in less than \$300,000.00.

The building was constructed in compliance with the provisions of the Florida Building Code (FBC) or with the provisions of the 1994 edition of the South Florida Building Code (1994 SFBC).

Norma McCLendon
Signature of Property Owner

NORMA McCLendon
Print Name

STATE OF FLORIDA COUNTY OF MIAMI-DADE

Sworn to and subscribed before me this 10 day of April, 2013

(SEAL)



Miami Dade County Department of Regulation

0000052964 - 4/19/2013 7:26:16 AM

GENERAL01-04172013.pdf

Examiner Boris Sursky Date Time Stamp 4/19/2013 7:26:16 AM Disposition Approved Stamp Number 0000052964
When the just valuation of the structure for purposes of ad valorem taxation is equal to or more than \$300,000.00, and the building was not constructed in compliance with the FBC nor with 1994 SFBC, and affidavit of Roof to Wall Connection Hurricane Mitigation Retrofit must be provided.