

Florida Building Code Edition 2010
High Velocity Hurricane Zone Uniform Permit Application Form

Section D (Steep Sloped Roof System)

Roof System Manufacturer: Quercus CORNING

Product Approval Number: 12-1204030

Minimum Design Wind Pressures, If Applicable (From RAS 127 or Calculations):
P1: _____ P2: CH/A P3: _____

Maximum Design Pressure
Product Approval Specific System: _____

Method of Tile Attachment: _____

Steep Sloped System Description

Deck Type: Plywood 5/8"

Type Underlayment: 30# ASTM

Insulation: N/A

Fire Barrier: N/A

Fastener Type & Spacing: 1/4 RS Coil 1/8" TC

Adhesive Type: N/A

Type Cap Sheet: N/A

Roof Covering: Supreme 3 tab

Mean Roof Height: 12

Roof Slope:
3 : 12

Ridge Ventilation?
N/A

Miami Dade County Department of Regulatory And Economic Resources

0000052964 - 4/19/2013 7:26:16 AM

NOA01-04172013.pdf

Examiner	Date Time Stamp	Disp.	Trade	Stamp Name
Boris Sursky	4/19/2013 7:25:11 AM	A	ROOF	Approved

Type & Size Drips
Edge: 3x3 26ga Coil



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)
BOARD AND CODE ADMINISTRATION DIVISION

MIAMI-DADE COUNTY
PRODUCT CONTROL SECTION
11805 SW 26 Street, Room 208
Miami, Florida 33175-2474
T (786) 315-2590 F (786) 315-2599
www.miamidade.gov/economy

NOTICE OF ACCEPTANCE (NOA)

Owens Corning Roofing and Asphalt, LLC
1 Owens Corning Parkway
Toledo, OH 43659

SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code including the High Velocity Hurricane Zone of the Florida Building Code.

DESCRIPTION: Supreme AR 3 Tab Shingles

LABELING: Each unit shall bear a permanent label with the manufacturer's name or logo, city, state and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

RENEWAL of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

TERMINATION of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

ADVERTISEMENT: The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

INSPECTION: A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official.

This renews NOA#07-1116.12 and consists of pages 1 through 4.

The submitted documentation was reviewed by Alex Tigera.

Examiner	Date Time Stamp	Disp.	Trade	Stamp Name
Boris Sursky	4/19/2013 7:25:11 AM	A	ROOF	

NOA No.: 12-1204.03
Expiration Date: 03/20/18
Approval Date: 03/07/13
Page 1 of 4

ROOFING ASSEMBLY APPROVAL

Category: Roofing
Sub-Category: Asphalt Shingles
Materials: 3-Tab
Deck Type: Wood

SCOPE

This approves Owens Corning Supreme AR as manufactured by Owens Corning described in Section 2 of this Notice of Acceptance.

PRODUCT DESCRIPTION

<u>Product</u>	<u>Dimensions</u>	<u>Test Specifications</u>	<u>Product Description</u>
Supreme AR	12" x 36"	TAS 110	A heavy weight, fiberglass reinforced asphalt shingle.

MANUFACTURING LOCATION

1. Atlanta, GA.
2. Jacksonville, FL.
3. Irving, TX.
4. Memphis, TN.
5. Medina, OH.

EVIDENCE SUBMITTED

<u>Test Agency</u>	<u>Test Identifier</u>	<u>Test Name/Report</u>	<u>Date</u>
Underwriters Laboratories, Inc.	02NK45241	ASTM D 3462	12/05/97
	05CA53426		12/02/05
	02NK45241	TAS 107	11/14/02
	03NK04954		03/20/03
	04CA52475		03/23/05
	06CA03524		03/30/06
	04NK40618		11/12/04
Underwriters Laboratories, Inc.	R2453	Reference	01/09/03
PRI Asphalt Technologies, Inc.	OCF-067-02-01	TAS 100	11/12/02
	OCF-076-02-01		02/24/04
	OCF-094-02-01		08/29/06
	OCF-095-02-01		09/22/06

Miami Dade County Department of Regulatory And Economic Resources

0000052964 - 4/19/2013 7:26:16 AM

NOA01-04172013.pdf

<u>Examiner</u>	<u>Date Time Stamp</u>	<u>Disp.</u>	<u>Trade</u>	<u>Stamp Name</u>
Boris Sursky	4/19/2013 7:25:11 AM	A	ROOF	Approved

NOA No.: 12-1204.03
Expiration Date: 03/20/18
Approval Date: 03/07/13
Page 2 of 4

LIMITATIONS

1. Fire classification is not part of this acceptance; refer to a current Approved Roofing Materials Directory for fire ratings of this product.
2. Shall not be installed on roof mean heights in excess of 33 ft.
3. All products listed herein shall have a quality assurance audit in accordance with the Florida Building Code and Rule 9N-3 of the Florida Administrative Code.

INSTALLATION

1. Shingles shall be installed in compliance with Roofing Application Standard RAS 115.
2. Flashing shall be in accordance with Roofing Application Standard RAS 115
3. The manufacturer shall provide clearly written application instructions.
4. Exposure and course layout shall be in compliance with Detail 'A', attached.
5. Nailing shall be in compliance with Detail 'B', attached.

LABELING

1. Shingles shall be labeled with the Miami-Dade Seal as seen below, or the wording "Miami-Dade County Product Control Approved".



BUILDING PERMIT REQUIREMENTS

1. Application for building permit shall be accompanied by copies of the following:
 - 1.1 This Notice of Acceptance.
 - 1.2 Any other documents required by the Building Official or the applicable code in order to properly evaluate the installation of this system.

Miami Dade County Department of Regulatory And Economic Resources


0000052964 - 4/19/2013 7:26:16 AM

NOA01-04172013.pdf


<u>Examiner</u>	<u>Date/Time Stamp</u>	<u>Disp.</u>	<u>Trade</u>	<u>Stamp Name</u>
Boris Sursky	4/19/2013 7:25:11 AM	A	ROOF	Approved

NOA No.: 12-1204.03
Expiration Date: 03/20/18
Approval Date: 03/07/13
Page 3 of 4

DETAIL A



DETAIL B



Miami Dade County Department of Regulatory And Economic Resources

END OF THIS ACCEPTANCE

0000052964 - 4/19/2013 7:26:16 AM

NOA01-04172013.pdf

Examiner **MIAMI DADE COUNTY** Date Time Stamp

APPROVED

Disp. Trade Stamp Name

Boris Sursky 4/19/2013 7:25:11 AM A ROOF Approved

NOA No.: 12-1204.03

Expiration Date: 03/20/18

Approval Date: 03/07/13

Page 4 of 4



TFWZ.R2453 Prepared Roof-covering Materials

[Page Bottom](#)

Prepared Roof-covering Materials

[See General Information for Prepared Roof-covering Materials](#)**OWENS CORNING**

R2453

1 OWENS CORNING PKY
TOLEDO, OH 43659 USA

Asphalt glass fiber mat sheet roofing designated "Mineral Surfaced Roll Roofing", for installation as Class C prepared roof coverings. These rolls may also bear the statement, "Also Classified in accordance with ASTM D3909".

Asphalt glass fiber mat and shingles designated Berkshire, Classic, Supreme, Oakridge (Oakridge Pro 30), Oakridge Pro 40, Oakridge Pro 50, Woodcrest, Woodmoor, Prominence, WeatherGuard HP, Duration, Duration Premium, "TruDefinition® Duration®", "TruDefinition® Duration® Storm", "Duration MAX", Skyview, Starter Strip Plus and Starter Strip, for installation as Class A prepared roof coverings. Suitable for installation on minimum 3/8 in. thick plywood decks with underlayment such as asphalt saturated felt or shingle underlayment classified by UL as a prepared roofing accessory (underlayment not required for hip and ridge shingles) and on minimum 15/32 in. thick plywood decks without underlayment. Asphalt glass fiber mat shingles, for installation as Class C prepared roof coverings on minimum 3/8 in. thick plywood decks without underlayment. Asphalt glass fiber mat and hip and ridge shingles for installation as wind resistant roof coverings. These shingles may also bear the statement "Also Classified in accordance with ASTM D3161, Class F", "Also Classified in accordance with ASTM D3462" and "Also Classified in accordance with CSA-A 123.5". These roofing systems may incorporate starter shingles designated "Strip Shingle" or "TRI-BUILT Shingle Starter".

Hip and ridge shingles designated "High Ridge", "WeatherGuard HP", "Berkshire", "Hip & Ridge shingles with sealant" for installation as Class A prepared roof coverings. These shingles may also bear the statements, "Also Classified in accordance with ASTM D3161, Class F", "Also Classified in accordance with ASTM D3462" and the Hip & Ridge with sealant shingle may bear the statement "Also Classified in accordance with CSA-A 123.5".

Hip and ridge shingles designated "RizeRidge" Hip & Ridge for installation as Class A prepared roof coverings. These shingles may also bear the statements, "Also Classified in accordance with ASTM D3161, Class F", "Also Classified in accordance with ASTM D3462".

Hip and ridge shingles designated "DecoRidge", "ProEdge" and "ProEdge STORM" for installation as Class A prepared roof coverings. Suitable for installation on minimum 3/8 in. thick plywood decks and on minimum 15/32 in. thick plywood decks without underlayment. Also Classified in accordance with ASTM D3161, Class A or Class F.

[Last Updated](#) on 2012-09-24[Questions?](#)[Print this page](#)[Terms of Use](#)[Page Top](#)

© 2013 UL LLC

When the UL Leaf Mark is on the product, or when the word "Environment" is included in the UL Mark, please search the [UL Environment database](#) for additional information regarding this product's certification.

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2013 UL LLC".

Miami Dade County Department of Building and Environmental Resources
0000052964 - 4/19/2013 7:26:16 AM

NOA01-04172013.pdf

<u>Examiner</u>	<u>Date Time Stamp</u>	<u>Disp.</u>	<u>Trade</u>	<u>Stamp Name</u>
Boris Sursky	4/19/2013 7:25:11 AM	A	ROOF	Approved